INDEX

Vol. 214—Pages 1–750

[New names in ***bold italics***. Systematic references in *italics*]

Acanthopoma bondi, 83
Acartia, 715
—*clausi*, 715
—*danae*, 715
—*negligens*, 715
—*spinicauda*, 715, 716
Accipiter gentilis, 165
Acrocalanus, 721
—*gibber*, 721
Acrochordus, 127
—*granulatus*, 127, 128, 130, 133, 135–138
Aegolius harrisii, 176
Aethomys chrysophilus, 63, 64
Aetideopsis, 726–728, 746
—*armata*, 726
—*multiserrata*, 726
—*rostrata*, 726
Aetideus, 726, 727, 746
—*acutus*, 726, 746
—*armatus*, 726, 746
—*giesbrechti*, 726, 746
Agama agama, 336
—*stellio*, 336
Agelaius cyanopus, 177
Agmus scabriceps, 83
Agouti paca, 118
Ahaetulla, 127
—*prasina*, 127–129, 131, 134–136, 138, 139
Alces alces alces, 47, 49
— —*gigas*, 49
Alloiopodus, 722
Allothrombium lerouxi, 292
Alouatta palliata, 217, 218
—*seniculus*, 218
Amallophora, 733, 735
Amallothrix, 736
—*curticauda*, 737
—*emarginata*, 737
—*gracilis*, 737
—*lobata*, 737
—*obtusifrons*, 737
Amazila veriscolor, 176
Amazona aestiva, 176
Amblyramphus holosericeus, 177
Amblyseius reticulatus, 73
Ambystoma jeffersonianum, 543
—*tigrinum*, 544
Ammospermophilus lecurus, 520
Amorphochilus schnablii, 522
Amphilius jacksoni, 83
Ancistrus, 87
—*cirrhosus*, 84
Anguilla anguilla, 22, 673, 676, 677
Anomalocera, 713, 714
—*patersoni*, 713
Anous tenuirostris, 163
Antilocapra americana, 46
Antilope cervicapra, 1–20
Anumbius annumbi, 177
Aotus, 142
—*trivirgatus*, 217, 218
Aphanotrochus, 261, 262
Ara maracana, 176
Aramides cajanea, 176
—*ypecaha*, 176
Aramus guarauna, 176
Arctocephalus pusillus, 596
Arctodus, 48
Ardea cinerea, 343
Arietellus, 705, 706
—*plumifer*, 705
—*setosus*, 705
—*simplex*, 705
Arius, 83
Arremon flavirostris, 177
Artemia, 23, 41
Artibeus cinereus, 522
—*jamaicensis*, 522
—*lituratus*, 522
—*phaeotis*, 522
—*watsoni*, 522
Arundinicola leucocephala, 177
Asellia tridens, 521
Astroblepus, 86, 87, 89
—*boulengeri*, 84
—*festae*, 84
—*grizalvae*, 84
—*longifillis*, 84
Ateles, 142
—*fusciceps*, 218
—*geoffroyi*, 217, 218
—*paniscus*, 218
Athene cunicularia, 176
Augaptilina, 702, 704, 743
——*scopifera*, 704
Augaptilus, 702, 703, 704, 743
—*glacialis*, 702
—*longicaudatus*, 702
—*megalurus*, 702
Automolus leucophthalmus, 177
Axis axis, 49

Babesia, 402
Bagarius bagarius, 83
Bagre panamensis, 83
Balaena, 309
Balaenoptera, 308, 309
—*acutorostrata*, 309, 310
—*musculus*, 309
—*physalus*, 309
Ballantiopteryx plicata, 521
Baryphthengus ruficapillus, 176

Basileuterus culicivorus, 177
—*leucoblepharus*, 173, 177
—*rivularis*, 177
Batheuchaeta, 728, 731
—*enormis*, 731
—*lamellata*, 731
Bathycalanus, 718
—*princeps*, 718
—*richardi*, 718
Bathyergus janetta, 98
—*suillus*, 97
Bathypontia, 722, 723, 746
—*elegans*, 722
—*elongata*, 722
—*minor*, 722
Blatta orientalis, 305
Boa constrictor, 137
Botrops atrox, 115
Brachycalanus, 735
Bradycalanus, 718
—*typicus*, 718
Bradyetes, 726
Bradyidius, 727–729, 744
—*bradyi*, 728
Bufo bufo, 534
Bunocephalus, 83
Buteo albicaudatus, 172, 173
—*magnirostris*, 176
Buteogallus urubitinga, 176

Cacicus chrysopterus, 173, 177
—*haemarrhous*, 177
—*solitarius*, 177
Calanoides, 719, 720, 746
—*carinatus*, 719
Calanopia, 713, 714
—*elliptica*, 713
Calanus, 719, 720, 746
—*cristatus*, 746
—*finmarchicus*, 719
—*helgolandicus*, 719
—*hyperboreus*, 719
—*minor*, 719
—*plumchrus*, 746
Calidris alpina, 396
—*temminckii*, 396
Callicebus, 142
—*moloch*, 218
Callichthys callichthys, 83
Callimico goeldii, 217, 218
Callithrix argentata, 142
—*jacchus*, 142, 153, 217, 218
Calocalanus, 722
Caloglyphus anomalus, 292
Camptostoma obsoletum, 177
Campylorhamphus trochilirostris, 177
Candacia, 711, 713
—*armata*, 713
—*curta*, 713
—*discaudata*, 713
—*longimana*, 713
—*norvegica*, 713
—*rotundata*, 713
Canis, 56
—*adustus*, 55
—*aureus*, 55
—*familiaris dingoes*, 55
—*latrans*, 55, 56, 65
—*lupus*, 48, 65, 618
—*mesomelas*, 55–69
Cantharidus suarezensis, 262
Canthocalanus, 719, 720, 746
—*pauper*, 719
Capra falconeri, 280
Capreolus capreolus, 47, 49, 50
Capricornis, 51
—*crispus*, 46
Caprimulgus longirostris, 172, 176
—*rufus*, 176
Capsiempis flaveola, 177
Carcharinus brachyurus, 590
—*leucas*, 590
—*obscurus*, 590
Carcharodon carcharias, 589
—*longimanus*, 596
Cardioderma cor, 521
Carollia brevicauda, 522
—*castanea*, 522
—*perspicillata*, 522
Casiornis rufa, 177
Catreus wallichii, 684
Cebuella pygmaea, 142, 153, 217, 218
Cebus, 142
—*albifrons*, 217, 218
—*apella*, 217, 218
—*capucinus*, 218
Celeus flavescens, 176
—*lugubris*, 176
Centraugaptilus, 703–705, 718, 743
—*cucullatus*, 704
—*horridus*, 704
—*rattrayi*, 704
Centrolabrus exoletus, 676
Centropages, 711, 712
—*chierchiae*, 711
—*furcatus*, 711
—*hamatus*, 711
—*mcmurrichi*, 711
—*orsini*, 711
—*typicus*, 711
Cephalophanes, 733, 735
—*frigidus*, 735
—*refulgens*, 735
Cephalophus monticola, 120
Ceratotherium, 451, 452, 455, 456
—*simum*, 452, 454
Cercocebus albigena, 217, 218
—*torquatus*, 218
Cercopithecus aethiops, 217, 218
—*diana*, 218
—*mitis*, 217, 218
—*neglectus*, 217, 218
Cerithium scabridum, 262
Certhiaxis cinnamomea, 171, 172, 177
Cervus elaphus, 654
— —*canadensis*, 45, 46, 49, 50
— —*hippelaphus*, 45, 47, 49, 50
— —*xanthopygos*, 48
—*nippon*, 47, 48–50
Ceryle torquata, 172, 176
Chaetostoma, 87
—*brevis*, 84
Chamaeza campanisona, 177
Charadrius hiaticula, 396
Chiloglanis niloticus, 83
Chiridiella, 725, 726, 746

Chiridiella (continued)
—brachydactyla, 726
—macrodactyla, 726
Chiridius, 727, 729, 744
—poppei, 729
Chiroderma villosum, 522
Chiroxiphia caudata, 172, 174, 177
Chirundina, 728, 731
—streetsi, 731
Chirundinella, 731
Chloroceryle amazona, 176
—americana, 176
Chlorostilbon aureoventris, 176
Chondrohierax uncinatus, 176
Chrysichthys mabusi, 83
Chunga burmeisteri, 176
Ciccaba virgata, 176
Cissopis leveriana, 177
Claravis pretiosa, 176
Clarias alluaudi, 83, 87
—gariepinus, 21–44
—ngamensis, 83
Clausocalanus, 725, 726, 744
—furcatus, 726
Clupea harengus, 676, 677, 679
Colaptes campestroides, 172, 176
—melanolaimus, 172, 176
Colobus guereza, 218
—polykomos, 218
Colonia colonus, 172, 177
Columba livia, 168
Columbina picui, 176
—talpacoti, 176
Comantenna, 729
Conirostrum speciosum, 177
Connochaetes taurinus, 408, 654
Conopophaga lineata, 177
Cornucalanus, 733, 735
—chelifer, 735
—simplex, 735
Corvus corone, 158, 164
— —cornix, 157–166
Corydoras aeneus, 83, 86
—punctatus, 83
Corynosoma, 361–371
—semerme, 361–371
—strumosum, 361–371
Coryphospingus cucullatus, 177
Corythopis delalandi, 177
Cosmocalanus, 719, 720, 748
—darwini, 719
Cranioleuca obsoleta, 177
Crassantenna, 729
Crenilabrus melops, 676
Cricetomys emini, 119
Crotophaga ani, 176
Cryptomys damarensis, 95–99
—hottentotus, 95, 98, 99
— —hottentotus, 96, 99
— —natalensis, 96, 98
Crypturellus obsoletus, 176
—parvirostris, 170, 172, 176
—tataupa, 176
Ctenocalanus, 726
Ctenolabrus rupestris, 676
Cuon alpinus, 270
Cyanocompsa cyanea, 177
Cyanocorax chrysops, 173, 177
—cyanomelas, 172–174, 177
Cyanoloxia glaucocaerulea, 177
Cyclarhis gujanensis, 177
Cygnus, 168
Cynopithecus niger, 217, 218
Cynopterus, 521
Cyprinus carpio, 22, 29

Dacnis cayana, 177
Dama dama, 49
Daphnia, 24, 30, 38, 40
Dasyprocta leporina, 107–123
—punctata, 110, 116, 118, 121
—variegata, 121
Dasypus kappleri, 120
—novemcinctus, 120
Daubentonia madagascarens, 218
Dendrocincla fuliginosa, 177
Dendrocolaptes platyrostris, 177
Dendroica coronata, 164
Derjuginia, 729
Desmodus rotundus, 522
Diaixis, 734
—hibernica, 734
Diaptomus, 712
—gracilis, 712
—laciniatus, 712
Dicentrarchus labrax, 22
Diceros, 451, 452, 455, 456
—bicornis, 399–405, 452, 454
Didermocerus, 451–453, 456
—sumatrensis, 451, 452, 454
Diplomystes, 84, 87–89, 91
—viedmensis, 83, 85, 87
Disco, 711
Disseta, 706, 707
—palumboi, 706
Dobsonia moluccensis, 521
—praedatrix, 521
Dolichotis patagonum, 122
—salinicola, 122
Donacobius atricapillus, 177
Donacospiza albifrons, 177
Doras asterifrons, 83
Drepanopus, 726
Dreponopsis, 726
Drosophila pseudoobscura, 663
Drymophila malura, 177
Dryocopus galeatus, 176
—lineatus, 176
Dysithamnus mentalis, 177

Egretta alba, 170, 172
Eidolon helvum, 521
Elaenia flavogaster, 177
—obscura, 172, 177
—parvirostris, 177
Elanus leucurus, 176
Elaphurus davidianus, 49
Eledone cirrhosa, 195, 491
Elephas maximus, 567–588
Emberizoides herbicola, 177
Embernagra platensis, 177
Empidonax euleri, 177
Emys orbicularis, 466, 467
Enchelyopus cimbrius, 676, 677
Engraulis capensis, 22, 29
Enhydra lutris, 596

Enhydrina, 127
—*schistosa*, 127, 128, 130, 132, 133, 135, 137, 138
Eonycteris, 521
Epicrates cenchria, 115
Epilabidocera, 715
Eptesicus, 530
—*fuscus*, 522, 524
— —*fuscus*, 523
— —*pallidus*, 523
Equus, 46, 547–565
Erignathus barbatus, 603
Erinaceus europaeus, 433–449
Erythrocebus patas, 217, 218
Eschrichtius gibbosus, 311
Esox lucius, 22, 29, 36
Estemmenosuchus, 301
Euaetideus, 746
Euaugaptilus, 702–704, 743
—*clavatus*, 702, 704
—*gibbus*, 702, 704
—*gracilis*, 702
—*laticeps*, 702, 704
—*longimanus*, 702, 704
—*magnus*, 702, 704
—*nodifrons*, 702, 704
—*squamatus*, 702, 704
Eucalamus, 723, 742, 744, 745
Euchaeta, 731, 732, 742, 744
—*flava*, 731–734
—*hebes*, 734
—*indica*, 731
—*marina*, 731, 733
—*marinella*, 731
—*norvegica*, 732, 734
—*rimana*, 731
Euchirella, 726, 728, 730
—*bitumida*, 730
—*curticauda*, 730
—*grandicornis*, 730
—*maxima*, 730
—*messinensis*, 730
—*rostrata*, 730
—*truncata*, 730
Eugomphodus taurus, 590
Eumops bonariensis, 522
Euphonia pectoralis, 177
Euristhmus lepturus, 83
Eurytemora, 712
Euseius, 75
—*finlandicus*, 75

Falco femoralis, 176
—*rufigularis*, 176
—*sparverius*, 176
Farrania, 725
—*frigida*, 726
Felis catus, 235–259
—*silvestris*, 235–259
Fluvicola pica, 177
Formicivora rufa, 177
Forpus xanthopterygius, 176
Foxtonia, 722
Furnarius cristatus, 177
—*rufus*, 177

Gadus morhua, 676, 677
Gaetanus, 727, 729
—*brachyurus*, 729
—*curvicornis*, 729
—*intermedius*, 729
—*kruppi*, 729
—*latifrons*, 729
—*minor*, 729
—*pileatus*, 729
Gaidiopsis, 729
Gaidius, 727, 729, 746
—*affinis*, 729
—*minutus*, 729
—*robustus*, 729, 734
Galago demidovii, 217, 218
—*garnetti*, 217, 218
—*senegalensis*, 217
— —*moholi*, 218
Galeocerdo cuvieri, 590
Gallinago paraguaiae, 176
Gallus gallus, 396
Gaussia, 709
—*princeps*, 709
Geomys, 98
Georychus capensis, 95–106
Geothlypis aequinoctialis, 177
Geotria australis, 417–423, 430, 431
Geotrygon montana, 176
—*violacea*, 176
Geranospiza caerulescens, 172, 176
Gibbula, 265
Gladioferens, 711, 712
—*pectinatus*, 712
Glaucidium brasilianum, 173, 176
Glyptocephalus cynoglossus, 680
Gnorimopsar chopi, 171, 173, 177
Gorilla, 142
—*gorilla*, 217, 218
Gubernetes yetapa, 177
Guira guira, 176
Gymnocephalus cernuus, 368

Habia rubica, 177
Hafenrefferia gilvipes, 292
Haloptilus, 702, 703, 704
—*chierchiae*, 702
—*longicirrus*, 702
—*longicornis*, 702
—*ornatus*, 702
Haplochromis, 509, 514, 515
—*ishmaeli*, 508, 512–516
—*nigricans*, 510, 512–516
—*nyererei*, 510, 512–516
—'*pseudonigricans*', 510, 512–516
—*riponianus*, 508, 512–516
—*sauvagei*, 508, 512–516
—'*thickskin*', 509, 512–516
—'*velvet black*' 510–516
Haplospiza unicolor, 177
Harpiprion caerulescens, 176
Heliomaster furcifer, 176
Hemidoras carinatus, 83
Hemirhabdus, 707, 708
—*grimaldi*, 708
Hemithraupis guira, 177
Hemitragus hylocrius, 269–284
—*jayakari*, 270
—*jemlahicus*, 270
Hemitriccus diops, 177
Henonemus, 83

Herpsilochmus rufimarginatus, 177
Heteramalla, 736, 737
—*sarsi*, 737
Heterocephalus glaber, 95–99, 102
Heteroptilus, 703, 705, 743
—*acutilobus*, 705
—*attenuatus*, 705
Heterorhabdus, 706, 708
—*compactus*, 706
—*norvegicus*, 706
—*papilliger*, 706
—*spinifrons*, 706
Heterospizias meridionalis, 176
Heterostylites, 707
—*longicornis*, 707, 708
—*major*, 707, 708
Himantopus himantopus, 176
Hippogossoides platessoides, 676
Hipposideros caffer, 521
Hippotragus equinus, 46
—*niger*, 46
Hirundinea ferruginea, 177
Homo, 142
—*sapiens*, 210, 211, 217, 218
Homotherium serum, 48
Hoplosternum magdalenae, 84
—*thoracatum*, 84, 89
Hoplotilapia, 515
—*retrodens*, 508, 512–516
Hydrachna, 293
Hydrochoerus hydrochaeris, 122
Hydrophis, 127
—*melanosoma*, 127–138
Hydropsalis brasiliana, 176
Hylobates, 142
—*lar*, 217, 218
Hylocharis chrysura, 176
Hylophilus poicilotis, 177
Hypoedaleus guttatus, 177
Hypoptopoma, 84
Hypostomus pleocostomus, 84
Hypsignathus monstrosus, 521

Ictalurus punctatus, 83
Icterus cayanensis, 177
Idioptilon margaritaceiventer, 177
Ischnocalanus, 722
Isias, 712
Isochaeta, 703
Isurus oxyrinchus, 590
Ivellopsis, 715

Jacana jacana, 176

Kryptopterus macrocephalus, 83

Labidocera, 714, 715
—*acuta*, 715
—*aestiva*, 715
—*detruncata*, 715
—*krøyeri*, 715
—*minuta*, 715
—*nerii*, 715
Labrochromis, 515
Labrus bergylta, 676
—*mixtus*, 676
Lachesis muta, 115
Lagothrix lagotricha, 217, 218
Lampetra fluviatilis, 418, 421
—*planeri*, 417–423, 430
Lasionycteris, 526, 530
—*noctivagans*, 520, 522–524
Lasiurus, 526, 530
—*borealis blossevilli*, 523
— —*borealis*, 523
— —*frantzii*, 523
—*cinereus*, 522, 528
— —*cinereus*, 523
— —*villosissumus*, 523
—*ega*, 522, 528
— —*ega*, 523
Lasius borealis, 520, 522, 523, 526, 527
Laterallus exilis, 176
—*leucopyrrhus*, 176
—*melanophaius*, 176
—*xenopterus*, 176
Laticauda, 127
—*colubrina*, 128, 129, 131, 133–137, 139
Lavia, 529, 530
—*frons*, 519–526, 530
Lemur catta, 217, 218
—*fulvus*, 217, 218
Leontopithecus rosalia, 217, 218
Lepidocolaptes angustirostris, 172, 177
—*fuscus*, 172, 177
Lepisosteus, 84
Lepomis macrochirus, 29
Leptopogon amaurocephalus, 177
Leptotila rufaxilla, 176
—*verreauxi*, 172, 176
Lepus, 55
Leucochloris albicollis, 176
Limanda limanda, 675–677
Limatulichthys punctatus, 84, 86
Limax pseudoflavus, 663–672
Limnocalanus, 712
Limnochares aquatica, 285–294
Listrophorus leuckarti, 292
Lochmias nematura, 172, 177
Lophothrix, 736, 737
—*frontalis*, 737
—*humilifrons*, 737
Loris tardigradus, 217, 218
Loxodonta africana, 568, 572, 574, 578, 579, 583
Lucicutia, 708
—*bicornuta*, 708
—*clausi*, 708
—*flavicornis*, 708
—*grandis*, 708
—*intermedia*, 703
—*maxima*, 708
—*simulans*, 708
—*wolfendeni*, 708
Lutamator, 729

Macaca arctoides, 217, 218
—*fascicularis*, 217, 218
—*fuscata*, 217, 218, 486
—*mulatta*, 217, 218
—*nemestrina*, 217, 218
—*sylvanus*, 218, 469–490
Macandrewella, 738
Machetornis rixosus, 172, 177
Macroglossus, 521
Macrophyllum macrophyllum, 522
Macropleurodus, 515

—bicolor, 508, 512–516
Mallotus villosus, 679
Mammuthus, 568
Mandrillus leucophaeus, 218
—sphinx, 217, 218
Marmosa murina , 120
—parvidens, 120
Martes americana, 647
Maurolicus muelleri, 676
Mazama americana, 49, 120
—gouazoubira, 120
Mecynocera, 722
—clausi, 722
Megacalanus, 717, 718, 745
—princeps, 717, 718
Megaderma lyra, 521
—spasma, 521
Megaptera, 309
Melanerpes flavifrons, 176
Melanogrammus aeglefinus, 676–678
Meleagris gallopavo, 343
Meles meles, 635–651
Melonycteris, 521
Merlangius merlangus, 676, 677
Merluccius merluccius, 676
Mesaiokeras, 739
Mesembrinibis cayennensis, 176
Mesocalanus, 719
Mesocomantenna, 729
Mesorhabdus, 707, 708
—brevicaudatus, 707
Metacalanus, 705, 706
—aurivillii, 706
Metachirops opossum, 120
Metachirus nudicaudatus, 120
Metridia, 708, 709
—boecki, 708
—longa, 708
—lucens, 708
—okhotensis, 708
—pacifica, 709
—princeps, 709
—venusta, 709
Micrastur ruficollis, 172, 176
Microcalanus, 726
Microcebus murinus, 213, 214, 217
Microglanis poecilius, 83
Micromesistius poutassou, 676
Micronycteris megalotis, 522
Micropterus salmoides, 29
Microstomus kitt, 676
Mimocalanus, 724
Mimus saturninus, 177
—triurus, 177
Miopithecus talapoin, 217, 218
Miostephos, 739
Mirounga leonina, 408
Mixtocalanus, 738
Molossus molossus, 522
Molothrus badius, 177
Monacilla, 724
—tenera, 724
Monilea, 261, 267
—obscura, 264
— —ponsonbyi, 266
—(Priotrochus) obscura, 264
— (—) ponsonbyi, 266
Monilia (Priotrochus) obscura, 264
Moniliformis dubius, 222
—moniliformis, 221–234, 313–324
Monodonta, 267
—obscura, 262, 264
Mordacia mordax, 418, 419, 421
Morganucodon, 297, 304
Mormoops megalophylla, 521
Muntiacus reevesi, 49
Murex trunculus, 500, 501
Myiarchus ferox, 177
—tyrannulus, 177
Myiophobus fasciatus, 177
Myiopsitta monachus, 176
Myiospiza humeralis, 171, 173
Myiozetetes similis, 177
Myocastor coypus, 407–415, 659
Myoprocta acouchy = pratti, 117, 118, 120
—exilis, 107–123
Myotis, 530
—daubentoni, 522
—lucifugus, 522, 528
— —lucifugus, 523
—macrotarsus, 522, 523, 528
—nattereri, 522
Myoxocephalus quadricornis, 368
—scorpius, 368, 676, 677
Myrmorchilus strigilatus, 177
Mytilus edulis, 501, 502
Myzopoda aurita, 522–524, 530

Nandayus nenday, 176
Natalus lepidus, 522
—stramineus, 522
Natrix maura, 325–342
—natrix, 331
Nauphoeta cinerea, 664
Nautilus, 195, 196
Necturus maculosus, 466
Nematogenys, 89, 91
—inermis, 83, 85
Neoaugaptilus, 705
Neocalanus, 719, 720, 746
—cristatus, 719
—plumchrus, 719
—robustior, 719
Neoscolecithrix, 739
Neoseiulus marinus, 73
Neoseiulus paramarinus, 71–73, 78
Nerodia, 127
—fasciata, 129, 133–139
— —pictiventris, 127, 128, 130, 135
Noctilio albiventris, 521
—leporinus, 521
Nonnula rubecula, 176
Notharchus macrorhynchus, 176
Notonecta hoffmani, 40
Notopteris macdonaldi, 521
Notorynchus cepedianus, 590
Nyctalus noctula, 522
Nycteris macrotis, 521
—thebaica, 521
Nyctidromus albicollis, 172, 176
Nyctimene, 521

Ochmacanthus alterus, 83
Octopus bimaculatus, 491
—bimaculoides, 491
—dofleini, 491–503

Octopus (continued)
—*macropus*, 491
—*ocellatus*, 491
—*vulgaris*, 195, 491, 492, 500, 501
Odocoileus hemionus, 47, 49, 50
—*virginianus*, 47, 49, 50
Oitnona, 743, 745
—*dissimilis*, 742
—*hebes*, 742
Oncaea, 743, 745
—*englishi*, 742
—*ornata*, 742
Onchocalanus, 733, 735
—*affinis*, 735
—*cristatus*, 735
—*hirtipes*, 735
—*trigoniceps*, 735
Orcinus orca, 308, 596
Ortalis canicollis, 176
Oryzoborus angolensis, 177
Oryzomys capito, 119
Osmerus epherlanus, 368
Otocinclus, 84
Otomys irroratus, 63, 64
Otus, 173
—*articapillus*, 172, 174
—*choliba*, 172, 174, 176
Ovibos moschatus, 46
Ovis ammon, 2, 7
—*canadensis*, 1–20, 279, 653–661
—*dalli*, 279, 654
—*musimon*, 2
—*orientalis*, 280

Pachyptilus, 703, 704
—*abbreviatus*, 704
—*eurygnathus*, 704
Pachyramphus viridis, 177
Paivella, 729
Pan, 142
—*troglodytes*, 217, 218
Panthera leo atrox, 48
—*pardus*, 270
Papio, 142
Paracalanus, 720, 721
—*aculeatus*, 720
—*parvus*, 720
Paracandacia, 711, 713
—*bispinosa*, 713
—*simplex*, 713
Paracaria coronata, 177
Paracomantenna, 729
Paradisco, 711
Paralabidocera, 716
Paramisophria, 706
Parapontella, 715
—*brevicornis*, 715
Parapseudocyclops, 706
Parascaphocalanus, 738
Parastephos, 739
Paraugaptilus, 705, 706
Pareuchaeta, 731, 732, 742, 744
—*acuta*, 732, 733
—*barbata*, 732, 734
—*birostrata*, 732, 734
—*bisinuata* 732, 734
—*bradyi*, 732, 734
—*comosa*, 732
—*concinna*, 732, 733
—*confusa*, 732, 734
—*elongata*, 732
—*glacialis*, 732, 734
—*gracilis*, 732, 734
—*hanseni*, 732, 734
—*hebes*, 732, 734
—*malayensis*, 732, 734
—*media*, 732, 733
—*norvegica*, 732, 734
—*paraconcinna*, 732, 734
—*pseudotonsa*, 732, 734
—*sarsi*, 733, 734
—*scaphula*, 733, 734
—*scotti*, 733, 734
—*spinosa*, 732–734
—*tumidula* 732–734
Paroaria capitata, 177
Parula pitiayumi, 177
Parundinella, 739
Passerina brissonii, 177
Pedetes capensis, 55, 64
Penelope obscura, 176
Penthetor lucasi, 521
Periplaneta americana, 223
Perodicticus potto, 217, 218
Peromyscus californicus, 55
—*emericus*, 55
—*leucopus noveboracensis*, 648
Perugia xanthus, 83
Petromyzon marinus, 418
Phacellodomus ruber, 172, 177
—*sibilatrix*, 177
Phaenna, 733–735
—*spinifera*, 734
Phaethornis eurynome, 176
——*pretrei*, 176
Phalacrocorax aristotelis, 673
—*auritus*, 673
—*carbo*, 673
—*pelagicus*, 673
—*penicillatus*, 673
Phalaropus lobatus, 396
Phasianus colchicus, 683–695
Philydor atricapillus, 177
—*lichtensteini*, 177
—*rufus*, 177
Phloeoceastes leucopogon, 172, 176
—*robustus*, 176
Phoca caspica, 369
—*hispida*, 362, 603
— —*botnica*, 361, 362
— —*saimensis*, 361, 362
—*sibirica*, 369
—*vitulina*, 673
— —*concolor*, 679
— —*richardsi*, 679
— —*vitulina*, 673
Pholis gunnellus, 677
Phoxinus, 357
Phractura scaphrorhynchura, 83
Phyllopus, 705, 706, 739
—*helgae*, 706
—*impar*, 706
—*muticus*, 706
Phylloscartes ventralis, 172, 177
Phyllostomus discolor, 522
—*hastatus*, 522

Phytotoma rutila, 177
Piaya cayana, 176
Piculus chrysochloros, 172
Picumnus cirratus, 176
—*temminckii*, 176
Pimelodus blochi, 83
—*pictus*, 83
Pionopsitta pileata, 176
Pipile jacutinga, 176
Pipistrellus, 530
—*pipistrellus*, 520, 522
Pipra fasciicauda, 174, 177
Pipromorpha rufiventris, 177
Pitangus sulphuratus, 172, 177
Pithecia pithecia, 218
Platanista gangetica, 308
Platichthys flesus, 677
Platyrhinchus leucoryphus, 177
—*mystaceus*, 177
Plecotus, 530
—*auritus*, 522
Plegadis chihi, 176
Pleuromamma, 709
—*gracilis*, 709
—*piseki*, 709
—*robusta*, 709
—*scutullata*, 709
—*xiphias*, 709
Pleuronectes flesus, 353
—*platessa*, 676, 677
Pogonotriccus eximus, 177
Polioptila dumicola, 177
Pongo, 142
—*pygmaeus*, 217, 218
Pontella, 714
—*chierchiae*, 714
—*fera*, 714
—*princeps*, 714, 715
—*securifer*, 714, 715
Pontellina, 714, 715
—*plumata*, 715
Pontellopsis, 714, 715
—*krameri*, 715
Pontoporeia affinis, 369, 370
Pontoptilus, 703, 704, 739, 743
—*mucronatus*, 704
—*muticus*, 704
—*ovalis*, 704
Poospiza melanoleuca, 177
—*torquata*, 177
Porzana albicollis, 172, 176
Praomys natalensis, 63, 64
Presbytis entellus, 218
Prionace glauca, 596
Priotrochus, 261–268
—*alexandri*, 266
—*kotschyi*, 265
—*obscurus*, 261–268
— —*obscurus*, 261, 262, 266, 267
— —*ponsonbyi*, 261, 262
Procnias nudicollis, 174, 177
Procynosuchus, 297, 304
Prodisco, 711
Proechimys cuvieri, 119
Propithecus, 151
—*verreauxi*, 217, 218
Psammochromis, 515
Pseudacanthicus histrix, 84, 88
Pseudaugaptilus, 705
Pseudemys scripta elegans, 457–468
Pseudeuchaeta, 727, 729, 731, 746
—*brevicauda*, 729
Pseudocalanus, 725
—*elongatus*, 725
Pseudocetopsis plumbeus, 83
Pseudochirella, 728, 730
—*divaricata*, 730
—*dubia*, 730
—*obtusa*, 730
—*pustulifera*, 730, 731
Pseudodiaptomus, 712
—*annandalei*, 712
—*aurivillii*, 712
—*difalcatus*, 712
—*inflexus*, 712
—*mertoni*, 712
—*serricaudatus*, 712
Pseudoleistes guirahuro, 177
Pseudolovenula, 712
Pseudophaenna, 739
Pseudopleuronectes americanus, 353–360
Pseudostegophilus nemurus, 83
Pseudotharybis, 729
Pteroglossus castanotis, 176
Pteronotus parnellii, 521
Pteropus, 529, 530
—*giganteus*, 520, 521, 523
—*neohibernicus*, 521
—*vampyrus*, 521, 523
Ptyochromis, 515
Pudu pudu, 49
Pyriglena leucoptera, 177
Pyrrhocoma ruficeps, 177
Pyrrhura frontalis, 172, 176

Racovitzanus, 736, 737
—*antarcticus*, 737
Rallus sanguinolentus, 176
Ramphastos dicolorus, 176
Rana temporaria, 534
Rangifer, 47
—*tarandus*, 45, 46, 49, 654
Raniceps raninus, 676
Reinhardtius hippoglossoides, 353–360
Rhabdomys pumilio, 63, 64, 520, 522
Rhapidophorus, 706
Rhincalanus, 723, 742
—*cornutus*, 723
—*nasutus*, 723
Rhineloricaria jubata, 84
Rhinoceros, 456
—*sondaicus*, 452
—*unicornis*, 451
Rhinolophus acuminatus, 521
Rhinomaxillaris, 722
Rhinophylla fischerae, 522
Rhinopoma hardwickei, 521
—*microphyllum*, 521
Rhynchocyon chrysopygus, 118
Rostrhamus sociabilis, 171, 172, 176
Rousettus, 521
Rucervus duvauceli, 49
—*eldi*, 49
Rupicapra, 280
—*pyrenaica*, 280
Rusa unicolor, 49

Saccopteryx bilineata, 521
Saguinus, 152, 153
—fuscicollis, 141–156
— —fuscicollis, 142, 143, 149
— —illigeri, 142–144, 149
—midas, 218
—oedipus, 142, 153, 154, 217, 218
— —geoffroyi, 153
— —oedipus, 153, 154
Saiga tatarica, 47
Saimiri sciureus, 217, 219
Saltator aurantiirostris, 177
—coerulescens, 173, 177
Saltatricula multicolor, 177
Sarsarietellus, 706
Satrapa icterophrys, 177
Saxidomus giganteus, 491–503
Scaphocalanus, 736
—magnus, 737
Schiffornis, 174
—virescens, 177
Schoeniophylax phryganophila, 177
Sciurus, 179
—vulgaris, 179–187
Scolecithricella, 736, 737
—dentata, 737
Scolecithrix, 736, 737, 744, 747
—bradyi, 737
—danae, 737
Scolecocalanus, 738
Scoloplax, 89, 90
—dicra, 83, 85
Scomber scombrus, 676
Scopalatum, 738
Scophthalmus maximus, 22
Scottocalanus, 736, 737
—securifrons, 737
—thori, 737
Scottula, 706
—inaequicornis, 706
Scutogerulus, 706
Sepia, 189, 193, 195, 196
—officinalis, 189–197
Seriola quinqueradiata, 22
Serpophaga subcristata, 177
Sicalis flaveola, 173, 177
Sinocalanus, 712
Sirystes sibilator, 172, 177
Sittasomus griseicapillus, 177
Smilodon fatalis, 48
Sognocalanus, 722
Spalax ehrenbergi, 96, 98, 99
Sparus aurata, 22
Spheniscus demersus, 589–599
Sphryna zygaena, 590
Spicipes, 726
Spinocalanus, 724
—angusticeps, 724
—magnus, 724
Spinus magellanicus, 177
Spirula, 195
Spirulina, 23
Sporophila caerulescens, 177
—collaris, 177
—leucoptera, 177
Sprattus sprattus, 676
Stegophilus, 83
Stephanoxis lalandi, 176
Stephos, 739
Sterna superciliaris, 172, 176
Sternopygus, 91
Stizostedion vitreum, 22
Streptocalanus, 724
Streptocephalus macrourus, 41
Strix hylophila, 176
Strombus raninus, 500
Sturisoma, 83, 84, 90
Suiriri suiriri, 177
Sula capensis, 596
Sursamucro, 729
Symphalangus syndactylus, 217, 219
Synallaxis albescens, 172, 177
—cinerascens, 177
—frontalis, 177
—ruficapilla, 177
Syncerus caffer, 2
Syndactyla rufosuperciliata, 172, 177
Syrigma sibilatrix, 172, 176

Tachyoryctes splendens, 96, 98, 99, 101
Tachyphonus coronatus, 173, 177
—rufus, 177
Talacalanus, 733
—greeni, 735
Tangara cayana, 177
—seledon, 177
Tapera naevia, 176
Taphozous, 671
—melanopogon, 671
Taraba major, 172, 177
Tarsius spectrum, 219
Tatera leucogaster, 63, 64
Tatia, 83, 88
Taurotragus euryceros, 46
—oryx, 47
Taurulus bubalis, 676, 677
Taxidea taxus, 636, 647
Temora, 712, 713
—longicornis, 712
—stylifera, 712
—turbinata, 712
Temorites, 722
Temoropia, 713
Teneriforma, 724
Testudo geometricus, 462, 464
Thalassodendron, 265
Thalurania glaucopis, 176
Thamnophilus caerulescens, 177
—doliatus, 172, 177
Thamnophis, 330
Tharybis, 739
Theileria, 402
Theristicus caudatus, 172, 176
Theropithecus gelada, 217, 219
Thomomys, 98
—bottae, 98, 99
—talpoides, 98–101
Thraupis sayaca, 173, 177
Thyroptera discifera, 522
—tricolor, 522
Tinamus solitarius, 176
Tityra cayana, 177
Tinamus solitarius, 176
Todirostrum plumbeiceps, 177
Tolmomyias sulphurescens, 171, 172, 177

Tortanus, 717
—*forcipatus*, 717
—*gracilis*, 717
Trichinella, 618
Trichomycterus, 83, 85, 87
Trichopicus cactorum, 176
Trichothraupis melanops, 173, 177
Tringa totanus, 396
Trisopterus esmarkii, 676
—*minutus*, 676, 677
Triturus, 543
—*cristatus*, 534, 543
—*marmoratus*, 543
—*vulgaris*, 535
— —*vulgaris*, 533–545
Trochus (Aphanotrochus) obscurus, 262
—*calliferus*, 261
—*(Gibbula) ponsonbyi*, 266
—*obscurus*, 261, 262
—*ponsonbyi*, 261
—*(Priotrochus) obscurus*, 262
Troglodytes aedon, 177
Trogon curucui, 176
—*rufus*, 176
—*surrucura*, 176
Trypanosoma brucei, 402
Turdus albicollis, 177
—*amaurochalinus*, 173, 177
—*leucomelas*, 173, 177
—*merula*, 168
—*rufiventris*, 173, 177
Typhlodromus laurae, 76
—*pyri*, 75–78
—*setubali*, 76
—*tiliacolus*, 75
—*tiliae*, 71–79
— —*sensu*, 77
Typhlodromus ulex, 71, 74, 78
Tyto alba, 170, 172, 176

Undeuchaeta, 728, 730
—*intermedia*, 730
—*major*, 730
—*plumosa*, 730
Undinella, 739
Undinothrix, 738
Undinula, 719, 720, 746
—*darwini*, 746
—*vulgaris*, 719, 746
Uroderma bilobatum, 522
—*magnirostrum*, 522
Urosalpinx, 502
—*cinerea*, 502
Ursus americanus, 48, 602
—*arctos*, 48, 602
—*maritimus*, 601–634

Valdiviella, 727, 729, 731, 746
—*brevicornis*, 729
—*insignis*, 729
Vampyressa pusilla, 522
Vampyrum spectrum, 522
Vanellus chilensis, 172, 176
—*vanellus*, 383–398
Varecia variegatus, 215, 217, 219
Veniliornis passerinus, 176
—*spilogaster*, 172, 176
Volatinia jacarina, 177
Vulpes chama, 55
—*vulpes*, 65, 693

Wilsonidius, 729

Xantharus, 738
Xanthocalanus, 733
Xenops minutus, 177
Xiphocolaptes albicollis, 172, 177
—*major*, 177
Xolmis irupero, 177

Zenkevitchiella, 722
Zoarces viviparus, 368, 675, 677
Zonotrichia capensis, 177

JOURNAL OF ZOOLOGY

VOLUME 214

Published by
THE ZOOLOGICAL SOCIETY
OF LONDON
at
OXFORD UNIVERSITY PRESS
1988

Dates of publication of Volume 214

Part 1, pp. 1–188, 28 January 1988
Part 2, pp. 189–382, 19 February 1988
Part 3, pp. 383–566, 11 March 1988
Part 4, pp. 567–750, 13 April 1988

© 1988 Zoological Society of London

Printed in Great Britain
at the Alden Press, Oxford

LIST OF CONTENTS

VOLUME 214

Page

AMBROSE, R. F., LEIGHTON, B. J. and HARTWICK, E. B., Characterization of boreholes by *Octopus dofleini* in the bivalve *Saxidomus giganteus* 491

BENNETT, M. B. and STAFFORD, J. A., Tensile properties of calcified and uncalcified avian tendons 343

BENNETT, N. C. and JARVIS, J. U. M., The reproductive biology of the Cape mole-rat, *Georychus capensis* (Rodentia, Bathyergidae) 95

BIEWENER, A. A., THOMASON, J. J. and LANYON, L. E., Mechanics of locomotion and jumping in the horse (*Equus*): *in vivo* stress in the tibia and metatarsus . . . 547

BURTON, D., Melanophore comparisons in different forms of ambicoloration in the flatfish *Pseudopleuronectes americanus* and *Reinhardtius hippoglossoides* 353

CAVE, A. J. E., Note on olfactory activity in mysticetes 307

CAVE, A. J. E., The major intrinsic pancreatic ducts of the rhinoceros 451

CROMPTON, D. W. T., ARNOLD, S. E., WALTERS, D. E., KEYMER, A. E. and MARRS, R. W., Factors influencing the fecundity of *Moniliformis moniliformis* (Acanthocephala): constant diet and varied dose 313

CROMPTON, D. W. T., KEYMER, A. E., WALTERS, D. E., ARNOLD, S. E. and MARRS, R. W., Factors influencing the fecundity of *Moniliformis moniliformis* (Acanthocephala): constant dose and varied diet 221

DUBOST, G., Ecology and social life of the red acouchy, *Myoprocta exilis*; comparison with the orange-rumped agouti, *Dasyprocta leporina* 107

EVANS, G. O., Two new species of phytoseiid mites from southern England with a redescription of *Typhlodromus tiliae* 71

FERGUSON, J. W. H., GALPIN, J. S. and DE WET, M. J., Factors affecting the activity patterns of black-backed jackals *Canis mesomelas* 55

FESTA-BIANCHET, M., Birthdate and survival in bighorn lambs (*Ovis canadensis*) . . 653

FORD, D. J. G. and COOK, A., Responses to pulsed light stimuli in a pulmonate slug (*Limax pseudoflavus*) 663

FOWLER, P. A. and RACEY, P. A., Overwintering strategies of the badger, *Meles meles*, at 57 °N 635

FRENCH, D. D., CORBETT, L. K. and EASTERBEE, N., Morphological discriminants of Scottish wildcats (*Felis silvestris*), domestic cats (*F. catus*) and their hybrids . . 235

GALBRAITH, H., Effects of egg size and composition on the size, quality and survival of lapwing *Vanellus vanellus* chicks 383

GEIST, V. and BAYER, M., Sexual dimorphism in the Cervidae and its relation to habitat . 45

GOODMAN, S. M. and GLYNN, C., Comparative rates of natural osteological disorders in a collection of Paraguayan birds 167

GOSLING, L. M., WRIGHT, K. M. H. and FEW, G. D., Facultative variation in the timing of parturition by female coypus (*Myocastor coypus*), and the cost of delay . . 407

GREAVES, W. S., The maximum average bite force for a given jaw length 295

GUERRA, A., NIXON, M. and CASTRO, B. G., Initial stages of food ingestion by *Sepia officinalis* (Mollusca: Cephalopoda) 189

HAILEY, A. and DAVIES, P. M. C., Activity and thermoregulation of the snake *Natrix maura*. 2. A synoptic model of thermal biology and the physiological ecology of performance 325

HÄRKÖNEN, T. J., Food-habitat relationship of harbour seals and black cormorants in Skagerrak and Kattegat 673

HECHT, T. and APPELBAUM, S., Observations on intraspecific aggression and coeval sibling cannibalism by larval and juvenile *Clarias gariepinus* (Clariidae: Pisces) under controlled conditions 21

HERBERT, D. G., Studies on *Priotrochus obscurus* and the systematic position of *Priotrochus* (Mollusca: Gastropoda: Trochidae) 261

JAYNE, B. C., Mechanical behaviour of snake skin 125

KERMOTT, L. H. and TIMM, R. M., Scrotal melanins in bats (Chiroptera): description, distribution and function 519

KITCHENER, A., An analysis of the forces of fighting of the blackbuck (*Antilope cervicapra*) and the bighorn sheep (*Ovis canadensis*) and the mechanical design of the horns of bovids 1

MAUCHLINE, J., Taxonomic value of pore pattern in the integument of calanoid copepods (Crustacea) 697

MEHLMAN, P. T., Food resources of the wild Barbary macaque (*Macaca sylvanus*) in high-altitude fir forest, Ghomaran Rif, Morocco 469

MORRIS, P. A., A study of home range and movements in the hedgehog (*Erinaceus europaeus*) 433

O'HIGGINS, P., JOHNSON, D. R. and MCANDREW, T. J., Mathematical and biological intermediacy in bone shape. Fourier analysis of cervical and upper thoracic vertebrae in the mouse. 373

PAUL, B., DU TOIT, R., LLOYD, S. and MANDISODZA, A., Haematological studies on wild black rhinoceros (*Diceros bicornis*)—evidence of an unstable haemoglobin . . 399

PERCY, LORD RICHARD and POTTER, I. C., Morphological changes to the heart and associated blood vessels during lamprey metamorphosis 417

RAMSAY, M. A. and STIRLING, I., Reproductive biology and ecology of female polar bears (*Ursus maritimus*) 601

RANDALL, B. M., RANDALL, R. M. and COMPAGNO, L. J. V., Injuries to jackass penguins (*Spheniscus demerus*): evidence for shark involvement 589

RICE, C. G., Reproductive biology of Nilgiri tahr, *Hemitragus hylocrius* (Mammalia: Bovidae) 269

ROBERTSON, P. A., Survival of released pheasants, *Phasianus colchicus*, in Ireland . . 683

ROSS, C., The intrinsic rate of natural increase and reproductive effort in primates . . 199

ROTH, V. L. and SHOSHANI, J., Dental identification and age determination in *Elephas maximus* 567

SCHAEFER, S. A., Homology and evolution of the opercular series in the loricarioid catfishes (Pisces: Siluroidei) 81

SLAGSVOLD, T., ROFSTAD, G. and SANDVIK, J., Partial albinism and natural selection in the hooded crow *Corvus corone cornix* 157

VALTONEN, E. T. and HELLE, E., Host-parasite relationship between two seal populations and two species of *Corynosoma* (Acanthocephala) in Finland 361

VAN ROMPAEY, J., AHMADYAR, S. Z. and VERHEYEN, E., General protein patterns of muscle homogenates of some Lake Victoria haplochromines (Pisces: Cichlidae) . . 505

VERRELL, P. and MCCABE, N., Field observations of the sexual behaviour of the smooth newt, *Triturus vulgaris vulgaris* (Amphibia: Salamandridae) 533

WAUTERS, L. A. and DHONDT, A. A., The use of red squirrel (*Sciurus vulgaris*) dreys to estimate population density 179

WEIGER, T. and LAMETSCHWANDTNER, A., The vascularization of the choroid plexus of the lateral ventricle of the turtle *Pseudemys scripta elegans* (Reptilia) 457

WITALIŃSKI, W., Egg-shells in mites. Vitelline envelope and chorion in a water mite, *Limnochares aquatica* L. (Acari, Limnocharidae) 285

ZELLER, U., EPPLE, G., KÜDERLING, I. and KUHN, H.-J., The anatomy of the circumgenital scent gland of *Saguinus fuscicollis* (Callitrichidae, Primates) 141